


Ricoh SP-1425 Scanner piano e ADF 600 x 600 DPI A4 Bianco

Marchio : Ricoh

Codice prodotto: PA03753-B001

Nome del prodotto : SP-1425

ADF/Flatbed, 2x CMOS-CIS, 2x RGB-LED, 52 - 127 g/m², 600 dpi, USB 2.0, 16W, 4.3kg
 Ricoh SP-1425. Massima dimensione di scansione: 216 x 3048 mm, Risoluzione di scansione ottica: 600 x 600 DPI, Risoluzione di scansione migliorata: 1200 x 1200 DPI. Tipo di scansione: Scanner piano e ADF, Colore del prodotto: Bianco. Tipo sensore: CMOS CIS, Fonte di luce: LED RGB, Driver di scansione: ISIS, TWAIN. Massimo formato carta serie ISO A: A4, Scanning media types supported: Carta normale, Dimensioni ISO serie-A (A0...A9): A4. Connettore USB: USB di tipo B, Tipo di connettore per presa: C5, Interfaccia standard: USB 1.1, USB 2.0



Scanning		Weight & dimensions	
Maximum scan size *	216 x 3048 mm	Depth	331 mm
Optical scanning resolution *	600 x 600 DPI	Height	129 mm
Enhanced scan resolution	1200 x 1200 DPI	Weight	43 kg
Colour scanning	✓	Packaging data	
Duplex scanning *	✓	Quantity per pack	1 pc(s)
Output colour depth	24 bit	Package width	403 mm
Output greyscale depth	8 bit	Package depth	507 mm
Output monochrome depth	1 bit	Package height	220 mm
Film scanning	✗	Package weight	7.5 kg
ADF scan speed (b/w, A4)	25 ppm	Packaging content	
ADF scan speed (colour, A4)	25 ppm	Cables included	AC
Flatbed scan speed (b/w, A4)	4 sec/page	AC adapter included	✓
Duplex ADF scan speed (b/w, A4)	50 ipm	Drivers included	✓
Duplex ADF scan speed (colour, A4)	50 ipm	Bundled software	PaperStream Capture Lite 9 PaperStream IP Driver (TWAIN & ISIS™) 8 Software Operation Panel Error Recovery Guide Presto! PageManager ABBYY FineReader Sprint Scanner Central Admin Agent
Black/white scanning colour modes	Grayscale, Monochrome	Sustainability	
Design		Sustainability certificates	ENERGY STAR
Scanner type *	Flatbed & ADF scanner		
Product colour *	White		
Built-in display *	✗		
Performance			
Sensor type *	CMOS CIS		
Light source	RGB LED		
Scan drivers	ISIS, TWAIN		
Paper handling			
Scanning media types supported	Plain paper		
Multi feed detection	✓		
Maximum ISO A-series paper size *	A4		
ISO A-series sizes (A0...A9)	A4		

Paper handling		System requirements	
Auto Document Feeder (ADF) media weight	52 - 127 g/m ²		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Maximum scan area (ADF)	216 x 356 mm		
Minimum scan area (ADF)	114 x 140 mm		
Ports & interfaces			
USB port *	✓		
USB version	2.0		
USB connector type	USB Type-B		
Socket connector type	C5		
Standard interfaces	USB 1.1, USB 2.0		
Power			
Power supply type *	AC	Windows operating systems supported	
Power consumption (typical)	16 W		
Power consumption (standby)	0.5 W		
Power consumption (off)	0.5 W		
Power consumption (PowerSave)	2.9 W		
Input voltage	100-240 V		
Weight & dimensions			
Width	454 mm		
		Linux operating systems supported	Ubuntu 14.04, Ubuntu 16.04
		Server operating systems supported	Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64
Operational conditions			
Operating temperature (T-T)	5 - 35 °C		
Operating relative humidity (H-H)	20 - 80%		
Other features			
Minimum scan size	25.4 x 25.4mm		
Automatic colour mode detection	✓		
Compliance certificates	RoHS		
Background colours	Black, White		
Logistics data			
Country of origin	China		
Pallet gross length	101.6 cm		
Pallet gross width	121.9 cm		
Harmonized System (HS) code	8471607000		
Paper packaging weight	2.4 kg		
Metal packaging weight	0 g		
Wood packaging weight	0 g		
Plastic packaging weight	15 g		
Products per pallet (air)	36 pc(s)		
Products per pallet (sea)	48 pc(s)		
Pallet height (sea)	195.1 cm		
Pallet height (air)	149.5 cm		
Cardboard packaging weight	1.2 kg		
Foil packaging weight	15 g		
Polystyrene (EPS/EPP) packaging weight	200 g		
Glass packaging weight	0 g		



4939761309168

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAR-2025. Prints or copies of Information are only valid on the printed Publication date