

Canon imageRUNNER 1643i II Laser A4 1200 x 1200 DPI 43 ppm Wi-Fi

Marchio : Canon

Famiglia del prodotto:
imageRUNNER

Codice prodotto: 5160C007

Nome del prodotto : 1643i II

Canon imageRUNNER 1643i II. Tecnologia di stampa: Laser, Stampa: Mono stampa, Risoluzione massima: 1200 x 1200 DPI. Copia: Mono copia, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione mono, Risoluzione di scansione ottica: 600 x 600 DPI. Funzione duplex: Copia, Stampa, Scansione. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero, Grigio



Printing		Paper handling	
Print technology *	Laser	Paper tray media weight	60 - 120 g/m ²
Printing *	Mono printing	Multi-Purpose Tray media weight	60 - 199 g/m ²
Duplex printing *	✓	Duplex media weight	60 - 120 g/m ²
Maximum resolution *	1200 x 1200 DPI	Ports & interfaces	
Print speed (black, normal quality, A4/US Letter) *	43 ppm	Direct printing *	✓
Warm-up time	14 s	USB port	✓
Warm-up time (from sleep mode)	4 s	USB 2.0 ports quantity	3
Secure printing	✓	Network	
Cover page printing function	✓	Wi-Fi *	✓
Booklet printing function	✓	Ethernet LAN *	✓
Copying		Cabling technology	10/100/1000Base-T(X)
Duplex copying *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Copying *	Mono copying	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum copy resolution *	600 x 600 DPI	Security algorithms	802.1x RADIUS, APOP, IPSec, SMTP-AUTH, SNMPv3
Time to first copy (black, normal)	6.3 s	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Maximum number of copies	999 copies	Performance	
Copier resize	25 - 400%	Internal storage capacity	2 TB
N-in-1 copy function	✓	Internal memory *	1000 MB
ID-card copy function	✓	Built-in processor	✓
Scanning		Processor frequency	800 MHz
Duplex scanning *	✓	Processor cores	2
Scanning *	Mono scanning	Sound pressure level (printing)	54 dB
Optical scanning resolution *	600 x 600 DPI	Design	
Scanner type *	ADF scanner	Product colour *	Black, Grey
Scan to	Cloud, E-mail, USB	Market positioning *	Home & office
Scan speed (black)	20 inch/min	Built-in display *	✓
Image formats supported	JPEG, TIFF	Display	LCD
Document formats supported	PDF	Display diagonal	12.7 cm (5")
Scan drivers	TWAIN, WIA	Touchscreen	✓
Fax		Control type	Touch
Faxing *	✗	Colour display	✓
Features		Power	
Duplex functions *	Copy, Print, Scan	Power consumption (max)	1420 W
Digital sender	✓	Power consumption (standby)	13.6 W
Printing colours *	Black	Power consumption (sleep)	0.7 W
Page description languages	PCL 5, PCL 6, PostScript 3, UFRII	Power consumption (off)	0.1 W
Number of printer fonts	229		

Input & output capacity		Power	
Total input capacity *	650 sheets	Energy Star Typical Electricity Consumption (TEC)	1.4 kWh/week
Total output capacity *	150 sheets	AC input voltage	220 - 240 V
Multi-Purpose tray	✓	AC input frequency	50 - 60 Hz
Multi-Purpose tray input capacity	100 sheets	System requirements	
Paper input type	Cassette	Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Maximum input capacity	2300 sheets	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.9 Mavericks
Paper handling		Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Maximum ISO A-series paper size *	A4	Operational conditions	
Paper tray media types *	Bond paper, Plain paper, Recycled paper, Thick paper, Thin paper	Operating relative humidity (H-H)	20 - 80%
Multi-purpose tray media types	Bond paper, Envelopes, Labels, Plain paper, Recycled paper, Thick paper, Thin paper	Storage temperature (T-T)	10 - 30 °C
ISO A-series sizes (A0...A9) *	A4, A5, A6	Sustainability	
ISO B-series sizes (B0...B9)	B5	Sustainability certificates	Blue Angel, ENERGY STAR
Non-ISO print media sizes	Executive, Index card, Legal, Letter, Statement	Weight & dimensions	
Envelopes sizes	10, C5, DL, Monarch	Width	480 mm
Custom media width	76.2 - 127 mm	Depth	595 mm
Custom media length	216 - 355.6 mm	Height	452 mm
		Weight	19 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.