



Canon i-SENSYS X 1440i Laser A4 1200 x 1200 DPI 40 ppm Wi-Fi

Marchio : Canon

Famiglia del prodotto: i-SENSYS

Codice prodotto: 5951C003

Nome del prodotto : X 1440i

Canon i-SENSYS X 1440i. Tecnologia di stampa: Laser, Stampa: Mono stampa, Risoluzione massima: 1200 x 1200 DPI. Copia: Mono copia, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione a colori, Risoluzione di scansione ottica: 600 x 600 DPI. Funzione duplex: Copia, Stampa, Scansione. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero, Bianco



Printing		Paper handling	
Print technology *	Laser	Envelopes sizes	C5, Com-10, DL, Monarch
Printing *	Mono printing	Paper tray media weight	60 - 120 g/m ²
Duplex printing *	✓	Multi-Purpose Tray media weight	60 - 199 g/m ²
Maximum resolution *	1200 x 1200 DPI	Ports & interfaces	
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Direct printing *	✓
Warm-up time	14 s	USB port	✓
Time to first page (black, normal)	5 s	USB 2.0 ports quantity	1
Secure printing	✓	Network	
Copying		Wi-Fi *	✓
Duplex copying *	✓	Ethernet LAN *	✓
Duplex copying mode	Auto	Cabling technology	10/100/1000Base-T(X)
Copying *	Mono copying	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum copy resolution *	600 x 600 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first copy (black, normal)	6.1 s	Wi-Fi Direct	✓
Maximum number of copies	999 copies	Security algorithms	WPA2-AES, WPA2-EAP, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA-AES, WPA-PSK, WPA-TKIP
Copier resize	25 - 400%	Management protocols	SNMPv1, SNMPv3
N-in-1 copy function	✓	Mobile printing technologies	Mopria Print Service, Apple AirPrint, Canon PRINT Business
N-in-1 copy function (N=)	2, 4	Performance	
ID-card copy function	✓	Internal storage capacity	4 GB
Scanning		Storage media	eMMC
Duplex scanning *	✓	Internal memory *	1000 MB
Scanning *	Colour scanning	Built-in processor	✓
Optical scanning resolution *	600 x 600 DPI	Processor frequency	1200 MHz
Scanner type *	ADF scanner		
Scan to	Cloud, E-mail, FTP, PC, USB		
Input colour depth	24 bit		

Scanning		Design	
Output colour depth	24 bit	Product colour *	Black, White
Greyscale levels	256	Market positioning *	Business
Scan drivers	ICA, TWAIN, WIA	Built-in display *	✓
Fax		Display	LCD
Faxing *	✗	Control type	Touch
Features		Colour display	✓
		Power	
Recommended duty cycle	750 - 4000 pages per month	Power consumption (max)	1280 W
Maximum duty cycle *	80000 pages per month	Power consumption (printing)	480 W
Duplex functions *	Copy, Print, Scan	Power consumption (standby)	8 W
Number of print cartridges *	1	Power consumption (sleep)	0.9 W
Printing colours *	Black	Energy Star Typical Electricity Consumption (TEC)	0.32 kWh/week
Page description languages	UFR II, PCL 5e, PCL 6, PostScript 3	AC input voltage	220 - 240 V
Input & output capacity		AC input frequency	50/60 Hz
Total number of input trays *	1	System requirements	
Total input capacity *	250 sheets	Windows operating systems supported	Windows 10, Windows 11
Total output capacity *	150 sheets	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.15.3 Catalina, Mac OS X 10.7.5 Lion, Mac OS X 10.2 Jaguar, Mac OS X 10.8 Mountain Lion, Mac OS X 10.3 Panther, Mac OS X 10.9 Mavericks, Mac OS X 10.4 Tiger, Mac OS X 11.0 Big Sur, Mac OS X 10.13 High Sierra, Mac OS X 10.5 Leopard, Mac OS X 12.0 Monterey, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 13.0 Ventura
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets	Linux operating systems supported	✓
Maximum input capacity	900 sheets	Server operating systems supported	Windows Server 2019, Windows Server 2012 R2, Windows Server 2022, Windows Server 2016, Windows Server 2012
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	20 - 80%
Maximum print size	216 x 355.6 mm	Operating temperature (T-T)	10 - 30 °C
Paper tray media types *	Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper	Weight & dimensions	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Width	420 mm
ISO B-series sizes (B0...B9)	B5	Depth	460 mm
Non-ISO print media sizes	Executive, Index card, Legal, Letter, Oficio, Statement	Height	375 mm
		Weight	15.6 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date