

## Brother HL-L5210DW stampante laser 1200 x 1200 DPI A4 Wi-Fi

**Marchio :** Brother

**Codice prodotto:** HL-L5210DW

**Nome del prodotto :** HL-L5210DW

Stampa wireless ad alta velocità e di elevata qualità. 48ppm, stampa fronte-retro fino a 24 lati al minuto. Cassetto 1.290 fogli. Toner opzionale fino a 11.000 pagine.

[Brother HL-L5210DW stampante laser 1200 x 1200 DPI A4 Wi-Fi:](#)

Creato per le aziende, questo dispositivo è progettato per offrire prestazioni professionali grazie alla stampa ad alta velocità e di elevata qualità. La stampante HL-L5210DW offre, inoltre, un'ampia gamma di opzioni di connettività e la flessibilità necessaria per adattare la capacità carta alle specifiche esigenze di ogni azienda.

Compatibile con le soluzioni Brother e le soluzioni di terze parti (Kofax, YSoft e altri)<sup>19</sup>

Disponibile con contratto di servizi di stampa gestita (MPS)

Brother HL-L5210DW. Tecnologia di stampa: Laser. Numero di cartucce di stampa: 1. Risoluzione massima: 1200 x 1200 DPI. Massimo formato carta serie ISO A: A4. Velocità di stampa (nero, qualità normale, A4/US Letter): 48 ppm, Stampa fronte/retro. Wi-Fi. Colore del prodotto: Nero, Bianco



Printing		Network	
Colour *	✗	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print technology *	Laser	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE
Duplex printing *	✓		ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTTP client, Syslog
Maximum resolution *	1200 x 1200 DPI		ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTTP client, Syslog
Print speed (black, normal quality, A4/US Letter) *	48 ppm		NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTTP Client, Syslog
Features		Supported network protocols (IPv4)	
Printing colours *	Black		
Number of print cartridges *	1		
Page description languages *	BR-Script 3, PCL 6, PDF, XPS		
Input & output capacity		Supported network protocols (IPv6)	
Total number of input trays *	1		
Total input capacity *	250 sheets		
Total output capacity *	150 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Paper handling		Performance	
Maximum ISO A-series paper size *	A4	Internal memory *	512 MB
Paper tray media types *	Envelopes, Letterhead, Plain paper, Recycled paper, Thin paper	Sound pressure level (printing)	54 dB
ISO A-series sizes (A0...A9) *	A4, A5, A6	Design	
Non-ISO print media sizes	Folio, Legal, Letter	Market positioning *	Home & office
JIS B-series sizes (B0...B9)	B5	Product colour *	Black, White
Envelopes sizes	C5, Com-10, DL, Monarch	Built-in display *	✓
Ports & interfaces		Colour display	✗
USB port *	✓		
USB connector	USB Type-A / USB Type-B		

Network		Power	
Wi-Fi *	✓	Power consumption (printing) *	670 W
Ethernet LAN *	✓	AC input voltage	220 - 240 V
Cabling technology	10/100/1000Base-T(X)	AC input frequency	50/60 Hz
Ethernet LAN data rates	10,100,1000 Mbit/s	<b>System requirements</b>	
		Windows operating systems supported	Windows 10, Windows 11
		<b>Operational conditions</b>	
		Operating temperature (T-T)	10 - 32.5 °C
		Storage temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	35 - 85%
		<b>Weight &amp; dimensions</b>	
		Width	373 mm
		Depth	388 mm
		Height	257 mm



4977766815130



0012502666493



012502666493

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.