## Canon

## Canon PIXMA G4570 Ad inchiostro A4 4800 x 1200 DPI Wi-Fi

Marchio: Canon Famiglia del prodotto: PIXMA Codice prodotto: 5807C006

Nome del prodotto: G4570

Canon PIXMA G4570. Tecnologia di stampa: Ad inchiostro, Stampa: Stampa a colori, Risoluzione massima: 4800 x 1200 DPI. Copia: Copia a colori. Scansione: Scansione a colori, Risoluzione di scansione ottica: 600 x 1200 DPI. Fax: Fax a colori. Funzione duplex: Stampa. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero





Printing		Ports & interfaces	
Duplex printing mode Manual Print technology * Inkjet Printing * Colour printing	Inkjet	USB port USB connector	✓ USB Type-B
	Network		
Duplex printing * Maximum resolution * Print speed (ISO/IEC 24734) black Print speed (ISO/IEC 24734) colour Borderless printing  Copying	• • • • • • • • • • • • • • • • • • • •	Wi-Fi * Ethernet LAN * Wi-Fi standards Security algorithms Mobile printing technologies	X 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) WEP, WPA-PSK, WPA2-PSK Apple AirPrint, Mopria Print Service, PIXMA Cloud Link
Copying *  Maximum number of copies  Copier resize	Colour copying 99 copies 25 - 400%	<b>Design</b> Product colour *	Black
N-in-1 copy function N-in-1 copy function (N=)	<b>√</b> 2, 4	Market positioning * Built-in display *	Home & office ✓
Scanning		Display Display diagonal	LCD 3.43 cm (1.35")
Duplex scanning * Scanning *	X Colour scanning	Colour display	X
Optical scanning resolution *	600 x 1200 DPI	Power	
Scanner type * Scan technology Scan to Input colour depth Output colour depth Input greyscale depth Output greyscale depth	an technology CIS an to Cloud but colour depth 16 bit tput colour depth 8 bit but greyscale depth 16 bit	Power consumption (copying) Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC) AC input voltage AC input frequency	15 W 1 W 0.1 W 0.16 kWh/week 100 - 240 V 50 - 60 Hz
Fax			
Faxing *	Colour faxing		

Fax		System requirements	
Fax resolution (black) Fax resolution (colour) Modem speed Fax memory	300 x 300 DPI 200 x 200 DPI 33.6 Kbit/s 50 pages	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1  Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2  Jaguar, Mac OS X 10.3 Panther, Mac
Features		Mac operating systems supported	OS X 10.5 Leopard, Mac OS X 10.6
Duplex functions * Ink tank system Number of print cartridges *	Print  ✓ 4		Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey Windows Server 2012 R2, Windows
Printing colours * Country of origin	Black, Cyan, Magenta, Yellow Vietnam		Server 2016, Windows Server 2019, Windows Server 2022
Replacement cartridges	GI-51 PGBK, GI-51 C, GI-51 M, GI-51	Mobile operating systems supported	
	Y	Other operating systems supported	ChromeOS
Input & output capacity		Operational conditions	
Total number of input trays * Total input capacity *	1 100 sheets	Operating relative humidity (H-H) Operating temperature (T-T)	10 - 90% 5 - 35 °C
Auto document feeder (ADF)	✓	Weight & dimensions	
Auto document feeder (ADF) input capacity	35 sheets	Width	416 mm
Paper handling		Depth Height	556 mm 268 mm
Maximum ISO A-series paper size *	A4	Weight	7.2 kg
Maximum print size	216 x 1200 mm	Packaging data	S
Paper tray media types *  ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	Envelopes, Glossy paper, High resolution paper, Iron-On Transfers, Matte paper, Photo paper, Plain paper, Semi-glossy paper A4, A5, A6 B5	Package width Package depth Package height Package weight	494 mm 499 mm 312 mm 11.9 kg
Non-ISO print media sizes	Executive, Legal, Letter	Packaging content	
nvelopes sizes  C5, Com-10, DL  10x15,13x18,18x25,20x25  orderless printing media sizes  ustom media width  55 - 216 mm  ustom media length  89 - 1200 mm  aper tray media weight  64 - 105 g/m²	Cartridge(s) included Included cartridge capacity (black) Included cartridge capacity (CMY) Included cartridge capacity (economy mode, black) Included cartridge capacity (economy mode, CMY)	6000 pages 7700 pages 7600 pages 8100 pages	
Ports & interfaces		Cables included	AC
Direct printing *	•	Bundled software	IJ Printer Assistant Tool
		Technical details	
		Introduction month	December
		Other features	
		Warranty period	2 year(s)



4549292205787

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.