

Logitech 991-000400 sistema di conferenza Collegamento ethernet LAN

Marchio : Logitech

Nome del prodotto : 991-000400

Logitech 991-000400. Collegamento ethernet LAN, Wi-Fi. Bluetooth. Tipologia display: IPS, Dimensioni diagonale schermo: 25,6 cm (10.1"), Risoluzione del display: 1280 x 800 Pixel. Sistema operativo incluso: CollabOS. Colore del prodotto: Grafite, Bianco

Codice prodotto: 991-000400



Performance		Logistics data	
Bluetooth	✓	Master (outer) case gross weight	5 kg
Bluetooth version	5.0	Master (outer) case length	380 mm
Product colour *	Graphite, White	Master (outer) case width	259 mm
Audio		Master (outer) case height	203 mm
Built-in speaker(s)	✓	Battery	
Number of speakers	1	Battery capacity	0.675 Wh
Ports & interfaces		Computer system	
HDMI ports quantity	3	VESA mounting	✓
HDMI output ports quantity	2	Operating system installed	CollabOS
HDMI input ports quantity	1	Operational conditions	
USB connector type	USB Type-A	Operating temperature (T-T)	0 - 40 °C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Operating relative humidity (H-H)	10 - 95%
Ethernet LAN (RJ-45) ports	1	Storage temperature (T-T)	-40 - 70 °C
Interface module		Power	
Interface module RJ-45 ports quantity	1	Power source type	AC
Network		AC input voltage	100 - 240 V
Ethernet LAN *	✓	Current	4.74 A
Ethernet LAN data rates	10,100,1000 Mbit/s	DC input voltage	19 V
Wi-Fi	✓	Battery technology	Lithium
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Battery capacity	220 mAh
Security algorithms	128-bit AES	Number of batteries supported	2
Display		Power plug type	Type C
Display	IPS	Weight & dimensions	
Display diagonal	25.6 cm (10.1")	Interface module dimensions (W x D x H)	246.2 x 171.3 x 56.1 mm
Display resolution	1280 x 800 pixels	Interface module weight	1 kg
Contrast ratio (typical)	1000:1	Width	161 mm
		Depth	211 mm
		Height	34.5 mm
		Package width	252 mm

Display		Weight & dimensions	
Touchscreen	✓	Package depth	373 mm
Touchscreen type	Capacitive	Package height	189 mm
Viewing angle, horizontal	85°	Package weight	5 kg
Viewing angle, vertical	85°	Packaging content	
Display brightness	400 cd/m²	Cables included	AC, DC
Oleophobic coating	✓	Power cable length	2.5 m
Features		AC adapter included	✓
Motion sensor	✓	Mounting kit	✓
Cable lock slot	✓	Quick start guide	✓
Cable lock slot type	Kensington		



5099206102101

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-MAR-2025. Prints or copies of Information are only valid on the printed Publication date