

Allied Telesis AT-2711FX/LC-901 scheda di rete e adattatore Interno Fibra 100 Mbit/s

Marchio : Allied Telesis

Codice prodotto: AT-2711FX/LC-901

Nome del prodotto : AT-2711FX/LC-901

Allied Telesis AT-2711FX/LC-901. Interno. Tecnologia di connessione: Cablato, Interfaccia host: PCI Express, Interfaccia: Fibra. Velocità massima di trasferimento dati: 100 Mbit/s



Connettività		Gestione energetica			
Tecnologia di connessione *	Cablato	Consumi	2 W		
Interfaccia host *	PCI Express	Requisiti di sistema			
Interfaccia *	Fibra				
Porte Fibre Channel	1				
Connettore a fibra ottica	LC				
versione PCI	1.0	Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64			
Collegamento in rete					
Velocità massima di trasferimento dati *	100 Mbit/s				
Standard di rete *	IEEE 802.1Q, IEEE 802.1as, IEEE 802.1p, IEEE 802.2, IEEE 802.3ac, IEEE 802.3u, IEEE 802.3x				
Collegamento ethernet LAN	✓				
Tipo di interfaccia Ethernet	Fast Ethernet				
Velocità trasferimento Ethernet LAN	10,100 Mbit/s				
Tecnologia di cablaggio	10/100BaseT(X)				
Algoritmi di sicurezza supportati	SNMP				
Wake-on-LAN ready	✓				
Full duplex	✓				
Supporto Jumbo Frames	✓				
Supporto qualità del servizio (QoS)	✓				
VLAN tagging	✓				
Sistema operativo Linux supportato				✓	
Design				Condizioni ambientali	
Interno *	✓			Intervallo temperatura di funzionamento	0 - 50 °C
Indicatori LED	✓	Intervallo di temperatura	-25 - 70 °C		
		Range di umidità di funzionamento	5 - 90%		
		Dimensioni e peso			
		Larghezza	121 mm		
		Altezza	69 mm		
		Peso	50 g		
		Dettagli tecnici			
		Certificati di conformità	RoHS		
		Dati logistici			
		Codice del Sistema Armonizzato (SA)	85176990		
		Altre caratteristiche			
		Supporto controllo flusso	✓		

Altre caratteristiche	
Receive Side Scaling (RSS)	✓
Versione ACPI	2.0



0767035196534



767035196534

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.