PHILIPS

Philips Serie 1000 27E1N1300AE/00 LED display 68,6 cm (27") 1920 x 1080 Pixel Full HD LCD Nero

Marchio : Philips

Famiglia del prodotto: Serie 1000

Codice prodotto: 27E1N1300AE/00

Nome del prodotto : 27E1N1300AE/00

Monitor 27E1N1300AE Display LCD Full HD

Philips Serie 1000 27E1N1300AE/00 LED display 68,6 cm (27") 1920 x 1080 Pixel Full HD LCD Nero:

Questo monitor è stato realizzato per farti restare sempre connesso. Grazie a funzioni come USB-C 3.2 con alimentazione, gli utenti possono caricare il proprio dispositivo collegato e lavorare senza problemi con un solo cavo. Inoltre, il cavo singolo rende lo spazio di lavoro pulito.
Philips Serie 1000 27E1N1300AE/00. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LCD, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
Backlight type	W-LED
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	4 ms
Anti-glare screen	✔
Screen shape *	Flat
Contrast ratio (typical) *	1300:1
Dynamic contrast ratio marketing name	Mega Infinity DCR
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	1 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	81.59 ppi
Horizontal scan range	30 - 115 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
DDC/CI	✔
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB
Display sRGB	✔

Ports & interfaces

HDCP	✔
HDCP version	1.4

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	10 cm
Tilt adjustment	✔
Tilt angle range	-5 - 20°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	21
Plug and Play	✔
LED indicators	Operation, Stand-by

Power

Energy efficiency class (SDR) *	E
Power consumption (typical) *	18.8 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Fast charging	✔
Fast charging technology	Power Delivery 3.0
VESA Adaptive Sync support	✔
Component video sync	Separate sync
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Number of speakers	2
RMS rated power	4 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Home
Product colour *	Black
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	✔
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	65 W
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4
Audio output	✔

Operational conditions

Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	3658 - 12192 m

Weight & dimensions

Width (with stand)	617 mm
Depth (with stand)	220 mm
Height (with stand)	483 mm
Weight (with stand)	5.85 kg
Width (without stand)	617 mm
Depth (without stand)	46 mm
Height (without stand)	357 mm
Weight (without stand)	4.07 kg

Packaging data

Package width	780 mm
Package depth	161 mm
Package height	420 mm
Package weight	8.97 kg

Packaging content

Stand included	✔
Cables included	AC, HDMI, USB Type-C to USB Type-C
Manual	✔

Sustainability

Sustainability compliance	✔
Doesn't contain	Mercury, PVC/BFR

Other features

Compatible operating systems	Mac OS X Windows 11/10
Exterior finish type	Textured
Picture enhancement	SmartImage game
Recyclable packaging material	100%
Regulatory Approvals	CB; CE Mark; ICES-003; TUV/ISO9241-307; TUV-BAUART; EAC; FCC; VCCI
Heavy metals free	Hg (mercury)
EasyRead mode	✔
LowBlue mode	✔
Compliance certificates	CB, CE, EAC, Federal Communications Commission (FCC), ICES, RoHS, cTUVus
Mean time between failures (MTBF)	50000 h

8712581804305