Canon

Canon i-SENSYS MF237w Laser A4 1200 x 1200 DPI 23 ppm Wi-Fi

Marchio : Canon **Famiglia del prodotto:** i-SENSYS **Codice prodotto:** 1418C030

Nome del prodotto : MF237w

600 x 600 dpi, 23PPM, Print, Copy, Scan, Fax, LAN, 802.11 b/g/n, USB 2.0, 11.4Kg
Canon i-SENSYS MF237w. Tecnologia di stampa: Laser, Stampa: Mono stampa, Risoluzione massima:
1200 x 1200 DPI. Copia: Mono copia, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione
a colori, Risoluzione di scansione ottica: 600 x 600 DPI. Fax: Mono fax. Massimo formato carta serie ISO
A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero

Printing

Print technology *	Laser
Printing *	Mono printing
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	23 ppm
Time to first page (black, normal)	6 s

Copying

Copying *	Mono copying
Maximum copy resolution *	600 x 600 DPI
Copy speed (black, normal quality, A4)	23 cpm
Time to first copy (black, normal)	9 s
Copier resize	25 - 400%
N-in-1 copy function	✔
N-in-1 copy function (N=)	2, 4
ID-card copy function	✔

Scanning

Scanning *	Colour scanning
Optical scanning resolution *	600 x 600 DPI
Maximum scan resolution	9600 x 9600 DPI
Scanner type *	Flatbed & ADF scanner
Scan to	Cloud, PC
Scan speed (colour)	15 ppm
Scan speed (black)	20 ppm
Image formats supported	JPEG, PNG, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Output colour depth	24 bit
Scan drivers	ICA, TWAIN, WIA

Fax

Faxing *	Mono faxing
Fax resolution (black)	200 x 200 DPI
Fax resolution (colour)	200 x 200 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	256 pages
Fax speed dialing (max numbers)	104

Paper handling

ISO B-series sizes (B0...B9)	B5, B6
Non-ISO print media sizes	16K, Executive, Index card, Letter, Oficio, Statement
Envelopes sizes	C5, Com-10, DL, Monarch
Paper tray media weight	60 - 163 g/m²
Multi-Purpose Tray media weight	60 - 163 g/m²
Auto Document Feeder (ADF) media weight	50 - 105 g/m²

Ports & interfaces

Standard interfaces	Ethernet, USB 2.0, Wireless LAN
Direct printing *	✔
USB port	✔

Network

Wi-Fi *	✔
Ethernet LAN *	✔
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, HTTPS, IPSEC, WEP, WPA2-AES, WPA2-PSK, WPA2-TKIP
Supported network protocols (IPv4)	LPD, RAW, WSD-Print, Email, SMB, WSD-Scan, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP, DHCP, ARP+PING, Auto IP, WINS, SNMPv1, SNMPv3
Supported network protocols (IPv6)	LPD, RAW, WSD-Print, Email, SMB, WSD-Scan, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP, DHCPv6, SNMPv1, SNMPv3
Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service

Performance

Internal memory *	256 MB
Sound pressure level (printing)	66 dB

Design

Product colour *	Black
Market positioning *	Business

Fax

Fax forwarding	✔
Fax broadcasting	114 locations
Fax dual access	✔

Features

Recommended duty cycle	500 - 2000 pages per month
Maximum duty cycle *	15000 pages per month
Number of print cartridges *	1
Printing colours *	Black
Page description languages	UFRII-LT

Input & output capacity

Total number of input trays *	1
Total input capacity *	250 sheets
Total output capacity *	100 sheets
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	1 sheets
Auto document feeder (ADF) input capacity	35 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Envelopes, Heavy paper, Labels, Plain paper, Recycled paper
ISO A-series sizes (A0...A9) *	A4, A5

Design

Built-in display *	✔
Display	LCD
Touchscreen	✔
Display number of lines	6 lines
Control type	Touch

Power

Power consumption (max)	1120 W
Power consumption (standby)	5.1 W
Power consumption (sleep)	1.2 W
Energy Star Typical Electricity Consumption (TEC)	0.7 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 Hz

System requirements

Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2003, Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2

Operational conditions

Operating relative humidity (H-H)	20 - 80%
Operating temperature (T-T)	10 - 30 °C

Sustainability

Sustainability certificates	ENERGY STAR

Weight & dimensions

Width	390 mm
Depth	371 mm
Height	360 mm
Weight	11.4 kg

4549292065237