

Philips 6000 series 34B2U6603CH/00 Monitor PC 86,4 cm (34")
3440 x 1440 Pixel Wide Quad HD LCD Grigio

Marchio : Philips

Famiglia del prodotto: 6000 series

Codice prodotto: 34B2U6603CH/00

Nome del prodotto : 34B2U6603CH/00

Curved Business monitor 34B2U6603CH Monitor WQHD con Thunderbolt™ 4

Philips 6000 series 34B2U6603CH/00 Monitor PC 86,4 cm (34") 3440 x 1440 Pixel Wide Quad HD LCD Grigio:

Questo monitor presenta una connettività super veloce. Grazie alla combinazione della porta Thunderbolt 4, la funzione Smart KVM e la qualifica display HDR 400, offre erogazione di potenza, commutazione della sorgente e immagini straordinarie in un unico monitor.
Philips 6000 series 34B2U6603CH/00. Dimensioni diagonale schermo: 86,4 cm (34"), Risoluzione del display: 3440 x 1440 Pixel, Tipologia HD: Wide Quad HD, Tecnologia display: LCD, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 21:9. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 2 (3.1 Gen 2). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Grigio



| Display | | Ports & interfaces | |
|-------------------------------------|------------------------------|-----------------------------------|--|
| Display diagonal * | 86.4 cm (34") | Thunderbolt 4 ports quantity | 1 |
| Display resolution * | 3440 x 1440 pixels | Audio output | ✓ |
| HD type * | Wide Quad HD | HDCP | ✓ |
| Native aspect ratio * | 21:9 | HDCP version | 1.4/2.2 |
| Display technology * | LCD | Ergonomics | |
| Panel type * | VA | VESA mounting * | ✓ |
| LED backlight | ✓ | Panel mounting interface | 100 x 100 mm |
| Backlight type | W-LED | Cable lock slot * | ✓ |
| Display brightness (peak) | 550 cd/m² | Cable lock slot type | Kensington |
| Display brightness (typical) | 450 cd/m² | Height adjustment * | ✓ |
| Response time * | 4 ms | Adjustable height (max) | 18 cm |
| Anti-glare screen | ✓ | Swivelling | ✓ |
| Screen shape * | Curved | Swivel angle range | -180 - 180° |
| Screen curvature rating | 1500R | Tilt adjustment | ✓ |
| Contrast ratio (typical) * | 4000:1 | Tilt angle range | -5 - 30° |
| Contrast ratio (dynamic) | 50000000:1 | On Screen Display (OSD) | ✓ |
| Maximum refresh rate * | 120 Hz | On Screen Display (OSD) languages | Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Turkish, Ukrainian |
| Display number of colours * | 16.7 million colours | | |
| Pixel pitch | 0.23175 x 0.23175 mm | Power | |
| Pixel density | 110 ppi | Energy efficiency class (SDR) * | F |
| Horizontal scan range | 30 - 190 kHz | Power consumption (typical) * | 31.59 W |
| Vertical scan range | 48 - 120 Hz | Power consumption (standby) * | 0.4 W |
| Viewable size, horizontal | 79.7 cm | Power consumption (PowerSave) | 26.6 W |
| Viewable size, vertical | 33.4 cm | AC input voltage | 100 - 240 V |
| High Dynamic Range (HDR) supported | ✓ | | |
| High Dynamic Range (HDR) technology | High Dynamic Range (HDR) 400 | | |
| Haze rate | 25% | | |

| Display | | Power | |
|--------------------------------------|-----------------------|-----------------------------------|--------------------------|
| Surface hardness | 3H | AC input frequency | 50/60 Hz |
| sRGB coverage (typical) | 120% | Operational conditions | |
| NTSC coverage (typical) | 101% | Operating temperature (T-T) | 0 - 40 °C |
| Multimedia | | Storage temperature (T-T) | -20 - 60 °C |
| Number of speakers | 2 | Operating relative humidity (H-H) | 20 - 80% |
| RMS rated power | 10 W | Operating altitude | 0 - 3658 m |
| Built-in speaker(s) * | ✓ | Non-operating altitude | 3658 - 12192 m |
| Megapixel (approx.) | 5 MP | Weight & dimensions | |
| Built-in camera * | ✓ | Width (with stand) | 807 mm |
| Design | | Depth (with stand) | 281 mm |
| Product colour * | Grey | Height (with stand) | 574 mm |
| Ports & interfaces | | Weight (with stand) | 7.85 kg |
| Built-in USB hub * | ✓ | Width (without stand) | 807 mm |
| USB hub version | 3.2 Gen 2 (3.1 Gen 2) | Depth (without stand) | 112 mm |
| USB Type-A downstream ports quantity | 4 | Height (without stand) | 369 mm |
| USB Type-C downstream ports quantity | 1 | Weight (without stand) | 10.6 kg |
| USB Power Delivery (USB PD) | ✓ | Packaging data | |
| USB Power Delivery up to | 100 W | Package width | 980 mm |
| HDMI * | ✓ | Package depth | 188 mm |
| HDMI ports quantity | 2 | Package height | 525 mm |
| HDMI version | 2.0 | Package weight | 11.2 kg |
| DisplayPorts quantity | 1 | Packaging content | |
| DisplayPort version | 1.4 | Stand included | ✓ |
| | | Cables included | DisplayPort, HDMI, Power |
| | | Sustainability | |
| | | Doesn't contain | Mercury, PVC/BFR |
| | | Other features | |
| | | HBR3 support | ✓ |



8712581804633

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-MAR-2025. Prints or copies of Information are only valid on the printed Publication date