

Epson EcoTank ET-16655 Ad inchiostro A3 4800 x 1200 DPI 32 ppm Wi-Fi

Marchio : Epson

Famiglia del prodotto: EcoTank

Codice prodotto: C11CH71411

Nome del prodotto : ET-16655

Epson EcoTank ET-16655. Tecnologia di stampa: Ad inchiostro, Stampa: Stampa a colori, Risoluzione massima: 4800 x 1200 DPI, Velocità di stampa (colore, qualità normale, A4/US Letter): 32 ppm. Copia: Copia a colori. Scansione: Scansione a colori, Risoluzione di scansione ottica: 1200 x 2400 DPI. Fax: Fax a colori. Funzione duplex: Copia, Stampa, Scansione. Massimo formato carta serie ISO A: A3. Wi-Fi. Stampa diretta. Colore del prodotto: Nero



Printing		Input & output capacity	
Duplex printing mode	Auto	Paper tray 2 input capacity	250 sheets
Print technology *	Inkjet	Auto document feeder (ADF)	✓
Printing *	Colour printing	Auto document feeder (ADF) input capacity	50 sheets
Duplex printing *	✓	Paper handling	
Maximum resolution *	4800 x 1200 DPI	Maximum ISO A-series paper size *	A3
Print speed (black, normal quality, A4/US Letter) *	32 ppm	Paper tray media types *	Envelopes, Plain paper
Print speed (colour, normal quality, A4/US Letter)	32 ppm	ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6
Print speed (ISO/IEC 24734) mono	25 ipm	ISO B-series sizes (B0...B9)	B6
Print speed (ISO/IEC 24734) colour	25 ipm	Envelopes sizes	10, DL
Print speed (ISO/IEC 24734) black	25 ppm	Paper tray media weight	64 - 300 g/m ²
Print speed (ISO/IEC 24734) colour	25 ppm	Ports & interfaces	
Duplex print speed (black, normal quality, A4/US Letter)	21 ppm	Direct printing *	✓
Duplex print speed (colour, normal quality, A4/US Letter)	21 ppm	USB port	✓
Time to first page (black, normal)	5.5 s	Network	
Time to first page (colour, normal)	5.5 s	Wi-Fi *	✓
Borderless printing	✓	Ethernet LAN *	✓
Copying		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Duplex copying *	✓	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP
Duplex copying mode	Auto	Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint
Copying *	Colour copying	Design	
Scanning		Product colour *	Black
Duplex scanning *	✓	Market positioning *	Home & office
Duplex scanning mode	Auto	Built-in display *	✓
Scanning *	Colour scanning	Display	LCD
Optical scanning resolution *	1200 x 2400 DPI	Control type	Touch
Scanner type *	Flatbed & ADF scanner		
Scan technology	CIS		

Scanning		Design	
Scan to	Cloud	Colour display	✓
Image formats supported	BMP, JPEG, TIFF, PNG	Power	
Document formats supported	PDF	Power consumption (copying)	19 W
Fax		Power consumption (ready)	9.5 W
Duplex faxing	✓	Power consumption (sleep)	0.8 W
Faxing *	Colour faxing	Power consumption (off)	0.2 W
Fax transmission speed	3 sec/page	Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
Modem speed	33.6 Kbit/s	AC input voltage	220 - 240 V
Fax memory	550 pages	System requirements	
Auto-redialing	✓	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Speed dialling	✓	Mac operating systems supported	Mac OS X 10.6 Snow Leopard
Fax forwarding	✓	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003
Error Correction Mode (ECM)	✓	Weight & dimensions	
Features		Width	515 mm
Duplex functions *	Copy, Print, Scan	Depth	500 mm
Number of print cartridges *	4	Height	350 mm
Printing colours *	Black	Weight	21 kg
Input & output capacity		Packaging data	
Total number of input trays *	3	Package width	558 mm
Total input capacity *	550 sheets	Package depth	585 mm
Total output capacity *	125 sheets	Package height	440 mm
Paper tray 1 input capacity	250 sheets	Package weight	24.6 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	4500 pages
		Included cartridge capacity (CMY)	2800 pages
		Cables included	AC



8715946734545

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-MAR-2025. Prints or copies of Information are only valid on the printed Publication date