Samsung Galaxy S24 Smartphone AI, Display 6.2" FHD+ Dynamic AMOLED 2X, Fotocamera 50MP, RAM 8GB, 128GB, 4.000 mAh, Marble Gray

Marchio : Samsung Famiglia del prodotto: Codice prodotto: SM-Galaxy S921BZADEUE

Nome del prodotto: Samsung Galaxy S24 Smartphone Al, Display 6.2" FHD+ Dynamic AMOLED 2X, Fotocamera 50MP, RAM 8GB, 128GB, 4.000 mAh, Marble Gray



- Il nuovo standard dell'esperienza mobile, ora con Galaxy Al
- Bordi ottimizzati e alluminio satinato
- Space Zoom per ritratti perfetti fino all'ultimo pixel e potenza straordinaria per giocare 6.2" FHD+ Dynamic AMOLED 2X, 8GB RAM, 128GB ROM, 50MP+10MP+12MP/12MP, 5G, 4000 mAh, Marble Gray

Samsung Galaxy S24 Smartphone AI, Display 6.2" FHD+ Dynamic AMOLED 2X, Fotocamera 50MP, RAM 8GB, 128GB, 4.000 mAh, Marble Gray. Dimensioni diagonale schermo: 15,8 cm (6.2"), Risoluzione del display: 2340 x 1080 Pixel. Famiglia processore: Samsung Exynos, Modello del processore: 2400. Capacità della RAM: 8 GB, Tipo di RAM: LPDDR5X, Capacità memoria interna: 128 GB. Risoluzione fotocamera posteriore (numerico): 50 MP, Tipo di fotocamera posteriore: Tripla fotocamera. Capacità della scheda SIM: Doppia SIM. Sistema operativo incluso: Android 14. Capacità della batteria: 4000 mAh. Colore del prodotto: Grigio, Color marmo. Peso: 167 g



Display		Network		
Display diagonal * Screen shape Display technology marketing name Display glass type Gorilla Glass version Display resolution * Display number of colours	15.8 cm (6.2") Flat Dynamic AMOLED 2X Gorilla Glass Gorilla Glass Victus 2 2340 x 1080 pixels 16 million colours	Bluetooth profiles aptX technology 3G bands supported 4G bands supported 5G bands supported Wi-Fi Direct MIMO Modulation Near Field Communication (NFC)	✓ 850,900,1900, 700,800,850,9	DI, HFP, HID, HOGP, MAP, OPP, PBAP, PBP, SAP, TMAP 2100 MHz 00,1500,1800,1900,2100,2300,2500,2600 MHz 00,1500,1800,1900,2100,2300,2500,2600,3500,3700
Maximum refresh rate	120 Hz	Ports & interfaces		
Maximum display brightness (Outdoor) Pixel density	500 cd/m ² 418 ppi	USB port USB connector type USB version		✓USB Type-C3.2 Gen 1 (3.1 Gen 1)
Brand specific technologies	Always-on display			3.2 Gen 1 (3.1 Gen 1)
Processor		Design		
Processor family * Processor model * Processor architecture	Samsung Exynos 2400 ARM Cortex-X4+Cortex-A720+Cortex- A520	Form factor * Product colour * International Protection (Protection features	IP) code	Bar Grey, Marble colour IP68 Dust resistant, Water resistant
Processor cores	10	Performance		
Processor boost frequency	3.2 GHz	Fast charging		✓
Storage		Wireless charging		1
User memory RAM capacity * RAM type	103.9 GB 8 GB LPDDR5X	Fingerprint reader Hearing aid compatibility		<i>*</i>
RAM clock speed	4206 MHz	Navigation		
Internal storage capacity *	128 GB	GPS (satellite)		✓
Camera		GLONASS		✓
Rear camera resolution (numeric) *	50 MP	BeiDou		✓
Second rear camera resolution (numeric)	10 MP	Galileo		✓

Camera		Navigation		
Third rear camera resolution				
(numeric)	12 MP	Quasi-Zenith Satellite System (QZSS)	✓	
Rear camera aperture number	1.8	Position location *	✓	
Second rear camera aperture number	2.4	Multimedia		
Third rear camera aperture number	2.2	Speakers	stereo	
Optical zoom	3x	Audio system	Dolby Atmos	
Digital zoom	30x		3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI,	
Front camera type *	Single camera	Audio formats supported	MP3, MXMF, OGA, OGG, OTA, RTTTL,	
Front camera resolution (numeric) *			RTX, WAV, XMF	
Front camera aperture number	2.2	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4,	
Rear camera flash *	•		WEBM	
Video capture resolution (max)	7680 x 4320 pixels	Software		
Maximum frame rate	240 fps	Platform *	Android	
	1280x720@30fps, 1920x1080@60fps,	Operating system installed *	Android 14	
Resolution at capture speed	3840x2160@30fps, 3840x2160@60fps, 7680x4320@30fps	Battery		
		Battery technology	Lithium-Ion (Li-Ion)	
Video recording modes	720p, 1080p, 2160p, 4320p	Wireless Power Share	✓	
Rear camera type *	Triple camera	Battery capacity *	4000 mAh	
Auto focus	✓	Browsing time (Wi-Fi)	25 h	
Image stabilizer	✓	Browsing time (4G)	25 h	
Image stabilizer type	Optical Image Stabilization (OIS)	Continuous audio playback time	78 h	
Night mode	✓	Continuous video playback time	29 h	
Panorama	✓	Sensors		
Portrait mode	✓	Proximity sensor	✓	
Network		Accelerometer	✓	
SIM card capability *				
	Dual SIM	Ambient light sensor	✓	
• •	Dual SIM 5G	Ambient light sensor Gyroscope	✓ ✓	
Mobile network generation * SIM card type *		_	* * * * * * * * * * * * * * * * * * *	
Mobile network generation *	5G	Gyroscope	* * * * * *	
Mobile network generation * SIM card type *	5G NanoSIM + eSIM	Gyroscope Barometer	****	
Mobile network generation * SIM card type * 3G standards *	5G NanoSIM + eSIM UMTS, WCDMA	Gyroscope Barometer Geomagnetic sensor Hall sensor	* * * * * *	
Mobile network generation * SIM card type * 3G standards * 4G standard *	5G NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions		
Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard *	5G NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width	70.6 mm	
Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard * Voice over LTE (VoLTE) supported Wi-Fi	SG NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth	70.6 mm 7.6 mm	
Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard * Voice over LTE (VoLTE) supported	SG NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width	70.6 mm 7.6 mm 147 mm	
Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard * Voice over LTE (VoLTE) supported Wi-Fi	SG NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight *	70.6 mm 7.6 mm	
Mobile network generation * SIM card type * 3G standards * 4G standard * 5G standard * Voice over LTE (VoLTE) supported Wi-Fi Wi-Fi standards	SG NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Packaging content	70.6 mm 7.6 mm 147 mm 167 g	
Mobile network generation * SIM card type * 3G standards * 4G standard * Voice over LTE (VoLTE) supported Wi-Fi Wi-Fi standards Bluetooth *	5G NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) ✓	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Packaging content Cables included	70.6 mm 7.6 mm 147 mm 167 g	
Mobile network generation * SIM card type * 3G standards * 4G standard * Voice over LTE (VoLTE) supported Wi-Fi Wi-Fi standards Bluetooth *	5G NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) ✓	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Packaging content Cables included SIM card ejector pin	70.6 mm 7.6 mm 147 mm 167 g	
Mobile network generation * SIM card type * 3G standards * 4G standard * Voice over LTE (VoLTE) supported Wi-Fi Wi-Fi standards Bluetooth *	5G NanoSIM + eSIM UMTS, WCDMA LTE-TDD & LTE-FDD Sub6 FDD, Sub6 SDL, Sub6 TDD ✓ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) ✓	Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Packaging content Cables included	70.6 mm 7.6 mm 147 mm 167 g	



8806095299815

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.