

NEC ME383W Proiettore a raggio standard 3800 ANSI lumen 3LCD WXGA (1280x800) Bianco

Marchio : NEC

Codice prodotto: 60005220

Nome del prodotto : ME383W

NEC ME383W. Luminosità proiettore: 3800 ANSI lumen, Tecnologia di proiezione: 3LCD, Risoluzione nativa del proiettore: WXGA (1280x800). Tipo di sorgente luminosa: Lampada, Durata della sorgente luminosa: 10000 h, Durata della sorgente luminosa (modalità risparmio): 20000 h. Messa a fuoco: Manuale, Lunghezza focale: 17.4 - 29 mm, Range di apertura (F-F): 1,7 - 2,2. Formato video analogico: NTSC, PAL, PAL 60, SECAM. Tipo interfaccia seriale: RS-232



Projector		Features	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Noise level (economic mode)	29 dB
Projection distance	0.94 - 11.59 m	Noise level *	37 dB
Projector brightness *	3800 ANSI lumens	Multimedia	
Projection technology *	3LCD	Built-in speaker(s) *	✓
Projector native resolution *	WXGA (1280x800)	RMS rated power	16 W
Contrast ratio (typical) *	16000:1	Number of built-in speakers	1
Native aspect ratio *	16:10	Design	
Horizontal scan range	15 - 100 kHz	Market positioning *	Business
Vertical scan range	50 - 120 Hz	Product type *	Standard throw projector
Keystone correction, horizontal	-30 - 30°	Product colour *	White
Keystone correction, vertical	-30 - 30°	Power	
Light source		Power source *	AC
Light source type *	Lamp	Power consumption (typical) *	288 W
Service life of light source *	10000 h	Power consumption (standby) *	0.5 W
Service life of light source (economic mode)	20000 h	Power consumption (economy mode)	196 W
Lamp power	225 W	AC input voltage	100 - 240 V
Lamp power (economic mode)	151 W	AC input frequency	50 - 60 Hz
Lens system		Auto power off	✓
Focus *	Manual	Operational conditions	
Focal length range	17.4 - 29 mm	Operating temperature (T-T)	5 - 40 °C
Aperture range (F-F)	1.7 - 2.2	Storage temperature (T-T)	-10 - 50 °C
Zoom capability	✓	Operating relative humidity (H-H)	20 - 80%
Video		Storage relative humidity (H-H)	20 - 80%
Analog signal format system *	NTSC, PAL, PAL 60, SECAM	Weight & dimensions	
Ports & interfaces		Width	345 mm
USB 2.0 ports quantity	1	Depth	261 mm
USB 2.0 Type-B ports quantity	1	Height	104.6 mm
Serial interface type *	RS-232	Weight *	3.2 kg
PC Audio in	✓	Packaging content	
PC Audio out	✓	Remote control included *	✓
VGA (D-Sub) ports quantity *	1		

Ports & interfaces		Packaging content	
HDMI ports quantity *	2	Manual	✓
Network		Technical details	
Ethernet LAN *	✓	Sustainability certificates	ErP
Ethernet LAN (RJ-45) ports	1	Compliance certificates	RoHS, WEEE
Logistics data			
		Harmonized System (HS) code	85286200



5028695614338

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date