

NEC ME403U PROJECTOR Proiettore a raggio standard 4000 ANSI lumen 3LCD WUXGA (1920x1200) Bianco

Marchio : NEC

Codice prodotto: 60005221

Nome del prodotto : ME403U PROJECTOR



- Costi di gestione ridotti – al minimo grazie alla lunga durata della lampada e dei filtri
 - Versatile e mobile – compatto e leggero con HDMI e altoparlante integrato di 16W
 - Risoluzione – WUXGA - altissimi livelli di luminosità e gamma colori estremamente estesa per vivere un'esperienza visiva al superlativo
 - Ampia gamma di possibili scenari applicativi – grazie al sistema di videoconferenza multisorgente e all'efficiente funzionamento multischermo, caratteristiche supportate da un'ampia gamma di innovativi sistemi di connettività digitale
- 3LCD, 4000 ANSI, 1920 x 1200, 16:10, Mini D-sub x 2, HDMI x 2, RS-232, RJ45, USB x 2

Projector		Ports & interfaces	
Screen size compatibility *	762 - 7620 mm (30 - 300")	DVI port *	✗
Projection distance	0.75 - 12.88 m	Network	
Projector brightness *	4000 ANSI lumens	Ethernet LAN *	✓
Projection technology *	3LCD	Ethernet LAN (RJ-45) ports	1
Projector native resolution *	WUXGA (1920x1200)	Features	
Contrast ratio (typical) *	16000:1	Noise level (economic mode)	29 dB
Native aspect ratio *	16:10	On Screen Display (OSD)	✓
Projector brightness (economic mode)	3000 ANSI lumens	Number of OSD languages	29
Horizontal scan range	15 - 100 kHz	Noise level *	37 dB
Vertical scan range	24 - 85 Hz	Password protection	✓
Keystone correction, horizontal	-30 - 30°	Multimedia	
Keystone correction, vertical	-30 - 30°	Built-in speaker(s) *	✓
Light source		RMS rated power	16 W
Light source type *	Lamp	Number of built-in speakers	1
Service life of light source *	10000 h	Design	
Service life of light source (economic mode)	20000 h	Product type *	Standard throw projector
Lamp power	225 W	Product colour *	White
Lamp power (economic mode)	151 W	Cable lock slot	✓
Lens system		Cable lock slot type	Kensington
Focus *	Manual	Power	
Focal length range	17.2-27.7	Power source *	AC
Aperture range (F-F)	1.5 - 2.08	Power consumption (standby) *	0.5 W
Zoom capability	✓	Power consumption (max)	305 W
Zoom type	Manual	Power consumption (economy mode)	220 W
Zoom ratio	1.6:1	AC input voltage	100 - 240 V
Video		AC input frequency	50 - 60 Hz
Analog signal format system *	NTSC, PAL, PAL 60, SECAM	Auto power off	✓
Full HD *	✓	Operational conditions	
Supported graphics resolutions	1920 x 1200 (WUXGA), 3840 x 2160	Operating temperature (T-T)	5 - 40 °C
Video colour modes	DICOM simulation mode		

Ports & interfaces		Operational conditions	
USB 2.0 ports quantity	2	Storage temperature (T-T)	-10 - 50 °C
USB 2.0 Type-A ports quantity	1	Operating relative humidity (H-H)	20 - 80%
USB 2.0 Type-B ports quantity	1	Storage relative humidity (H-H)	20 - 80%
Audio (L/R) in *	1	Weight & dimensions	
Audio (L/R) out	1	Width	345 mm
Serial interface type *	RS-232	Depth	261 mm
VGA (D-Sub) ports quantity *	2	Height	104.6 mm
HDMI ports quantity *	2	Weight *	3.5 kg
Component video (YPbPr/YCbCr) in *	1	Packaging content	
		Remote control included *	✓
		Batteries included	✓
		Technical details	
		Sustainability certificates	ErP
		Compliance certificates	CE, RoHS, WEEE
		Logistics data	
		Harmonized System (HS) code	85286200



5028695614345

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date