

## ASUS ZenBeam L2 Proiettore a corto raggio 400 ANSI lumen DLP 1080p (1920x1080) Blu marino

**Marchio :** ASUS

**Codice prodotto:** 90LJ00I5-B01070

**Nome del prodotto :** ZenBeam L2

ASUS ZenBeam L2. Luminosità proiettore: 400 ANSI lumen, Tecnologia di proiezione: DLP, Risoluzione nativa del proiettore: 1080p (1920x1080). Tipo di sorgente luminosa: LED, Durata della sorgente luminosa: 30000 h. Messa a fuoco: Auto, Tipo di zoom: Fisso, Rapporto di proiezione: 1.2:1. Risoluzioni grafiche supportate: 1920 x 1080 (HD 1080), 3840 x 2160. Tipo di connettore HDMI: Micro



Projector		Features	
Projector brightness	960 LED lumens	Noise level (economic mode)	28 dB
Supported aspect ratios	4:3, 16:9	HDCP	✓
Screen size compatibility *	762 - 3048 mm (30 - 120")	Preset modes	Bright, Game, Standard, Theatre
Projection distance	0.8 - 3.2 m	Noise level *	30 dB
Projector brightness *	400 ANSI lumens	High Dynamic Range (HDR) supported	✓
Projection technology *	DLP	High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Projector native resolution *	1080p (1920x1080)	Video apps	Netflix
Contrast ratio (typical) *	400:1	<b>Multimedia</b>	
Native aspect ratio *	16:9	Built-in speaker(s) *	✓
Number of colours	16.7 million colours	RMS rated power	10 W
Keystone correction, horizontal	-30 - 30°	<b>Design</b>	
Keystone correction, vertical	-40 - 40°	Market positioning *	Portable
Colour gamut	120%	Product type *	Short throw projector
<b>Light source</b>		Product colour *	Navy
Light source type *	LED	Placement	Ceiling, Desktop, Tripod
Service life of light source *	30000 h	<b>Display</b>	
<b>Lens system</b>		Built-in display *	✗
Focus *	Auto	<b>Power</b>	
Zoom type	Fixed	Power source *	USB
Throw ratio	1.2:1	Power consumption (standby) *	0.5 W
Offset	100%	Power consumption (max)	90 W
<b>Video</b>		Battery technology	Lithium-Ion (Li-Ion)
Full HD *	✓	Battery life (max)	3.5 h
Supported graphics resolutions	1920 x 1080 (HD 1080), 3840 x 2160	<b>Battery</b>	
<b>Ports &amp; interfaces</b>		Battery capacity	65 Wh
HDMI connector type	Micro		


Ports & interfaces		Operational conditions	
USB 2.0 ports quantity	2	Operating temperature (T-T)	0 - 40 °C
USB 2.0 Type-A ports quantity	1	Operating relative humidity (H-H)	20 - 90%
USB 2.0 Type-C ports quantity	1	Weight & dimensions	
Headphone outputs	1	Width	132 mm
HDMI ports quantity *	1	Depth	132 mm
DVI port *	×	Height	172 mm
Network		Weight *	1.57 kg
Ethernet LAN *	×	Package width	210 mm
Storage		Package depth	177 mm
Card reader integrated *	×	Package height	265 mm
		Package weight	2.8 kg



4711081970712



0195553970730



195553970730

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 13-MAR-2025. Prints or copies of Information are only valid on the printed Publication date