Logitech Zone Vibe Wireless UC

Marchio: Logitech Codice prodotto: 981-001199

Nome del prodotto: Zone Vibe Wireless UC

Cuffie Bluetooth Logitech Zone Vibe Wireless con ricevitore USB e microfono con cancellazione del rumore


Logitech Zone Vibe Wireless UC. Tipo di prodotto: Auricolare. Tecnologia di connessione: Wireless, Bluetooth. Utilizzo raccomandato: Musica e Chiamate. Range wireless: 30 m. Lunghezza cavo: 1,5 m. Peso: 185 g. Colore del prodotto: Grafite





Product type * Headset Head-band Charging time 5 min USB Recommended usage * Head-band Charging source USB Recommended usage * Head-band Calls/Music System requirements Windows operating systems supported Supported Call, Volume +, Volu				
Wearing style* Head-band Charging source USB Recommended usage * Calls/Music System requirements Headset type Binaural Windows operating systems supported and play/Pause, Reject call, Volume - Volume - Call, Volume - Volume - Button Volume control Mobile operating systems supported Macroperating systems supported Android, iOS, iPadOS Control unit type On-ear control unit Music player AAC, SBC Control type Buttons Audio formats supported AAC, SBC Control type Buttons Audio formats supported AAC, SBC Cable length 1.5 m Sustainability BeamForming ✓ Sustainability Optimized for Unified communications (UC) Sustainability certificates CarbonNeutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic Number of simultaneously connected devices (max) 8 Width 6 dimensions Ports & interfaces Depth 73 mm 169.7 mm Connectivity technology * Wireless Wireless Height 183 mm Bluetooth ✓ 2 Packaging data 75.4 x 19.3 x 98.6 mm	Performance		Battery	
Recommended usage * Calls/Music System requirements Headset type Binaural Windows operating systems supported Android, iOS, iPadOS subtained per atting systems supported Android, iOS, iPadOS subtained supported subtained subtained subtained supported Android, iOS, iPadOS subtained su	Product type *	Headset	Fast charging time	5 min
Headset type Headset type Product colour* Graphite Product colour* Graphite Colorating keys Call, Volume - Answer/end call, Play/Pause, Reject call, Volume - Wolume control Control unit type Control unit type Control type Control type Cable length Depriment of paired devices remembered Number of simultaneously Connectivity technology* Wireless Bluetooth Wireless Bluetooth Wireless range Wireless range Wireless range Wireless range Wireless range Headphones Ear coupling* Circumaural Wireless Wineless Wireless Wireless Circumaural Wireless Wireless Wireless Circumaural Wireless Wireless range Wireless Circumaural Wireless Wireless range Wireless Wireless range Wireless Wireless range Wireless Wireless Wireless range Wireless Wireless range Wireless Wireless range Wireless rang	Wearing style *	Head-band	Charging source	USB
Product colour* Graphite Windows operating systems supported supported and supported and call, Play/Pause, Reject call, Volume +, Volume - Button Windows operating systems supported and call, Play/Pause, Reject call, Volume +, Volume - Button Mac operating systems supported and Android, iOS, iPadOS Control unit type On-ear control unit Music player AAC, SBC Coable length 1.5 m Sustainability Carbon Neutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic Pause and Plastic Plasti	Recommended usage *	Binaural	System requirements	
Answer/end call, Play/Pause, Reject call, Volume +, Volume - Nolume control Button Mobile operating systems supported Acc, SBC Control unit type Control type Buttons Adulo formats supported AAC, SBC CarbonNeutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic Recycled Plastic Connectivity technology * Wireless Button Muries Pave Weight & dimensions Weight Weight Height 183 mm Height 185 g Ear pad dimensions (W x D x H) Wireless range Wireless range Wireless range Headphones Ear coupling * Circumaural Microphone Microphone Microphone	,,		Windows operating systems	
Volume control Button Mobile operating systems supported Android, iOS, iPadOS Volume control December of December of Simultaneously connected devices (max) Ports & interfaces Connectivity technology * Wireless Button Sustainability Virequency response (music mode) Virequency response (music mode) Virequency response (music mode) Vireless ange Vireless 30 m Vireless 45 Ω Vireless 65 Ω Vireless 65 Ω Vireless 66 Minerations (W x D x H) Vireless 75 Mineration	Product colour *	•	supported	•
Control unit type Control unit type Control type Buttons Cable length BeamForming V Unified communications (UC) Number of paired devices remembered Number of simultaneously connected devices (max) Ports & interfaces Connectivity technology * Wireless Bulletooth version Brequency response (music mode) Wireless range Wireless Frequency response (mak) Wireless Circumaural Beadphones Ear coupling * Circumaural Circumaural Eaglechone sensitivity Driver unit Microphone Music player Music player Music player Music player Audio formats supported Addio fa	Operating keys		1 3 7 11	
Control type Buttons Audio formats supported AAC, SBC Cable length 1.5 m Sustainability BeamForming ✓ CarbonNeutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic remembered Number of paired devices remembered 2 Weight & dimensions Number of simultaneously connected devices (max) 8 Width 169.7 mm Ports & interfaces Depth 73 mm Connectivity technology * Wireless Height 183 mm Bluetooth ✓ Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Bluetooth version 5.2 Packaging data Frequency response (music mode) 100 - 8000 Hz Package width 87 mm Wireless range 30 m Package depth 196 mm Headphones Package height 220 mm Ear coupling * Circumaural Package weight 475 g Impedance 45 Ω Packaging content ✓ Headphone sensitivity 118 dB Quick start guide ✓ Wireless receiver interface USB Type-C Carbon Number (Viction) Vireless receiver int	Volume control	Button	Mobile operating systems supported	Android, iOS, iPadOS
Cable length 1.5 m Sustainability BeamForming ✓ Optimized for Unified communications (UC) Sustainability certificates CarbonNeutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic Number of paired devices remembered 2 Weight & dimensions Number of simultaneously connected devices (max) 8 Width 169.7 mm Ports & interfaces Depth 73 mm Connectivity technology * Wireless Weight 183 mm Bluetooth ✓ Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Bluetooth version 5.2 Packaging data Frequency response (music mode) 20 - 20000 Hz Package width 87 mm Frequency response (talk mode) 100 - 8000 Hz Package width 87 mm Wireless range 30 m Package depth 196 mm Headphones Package height 220 mm Ear coupling * Circumaural Package weight 475 g Impedance 45 Ω Packaging content Headphone sensitivity 118 dB Quick start guide ✓ Driver unit 4 cm Receiver included ✓ Wireless receiver interface USB Type-C Cables included USB Type	Control unit type	On-ear control unit	Music player	
BeamForming Optimized for Unified communications (UC) Number of paired devices remembered Number of simultaneously connected devices (max) Sustainability certificates Weight & dimensions Width 169.7 mm Depth 73 mm Height 183 mm Weight 185 g Bluetooth Version 5.2 Frequency response (music mode) 20 - 20000 Hz Frequency response (talk mode) 100 - 8000 Hz Wireless range 30 m Package depth 196 mm Weladphones Ear coupling * Circumaural Impedance 45 \(\Omega \) Headphone Sensitivity Microphone Sustainability certificates Sustainability Sustainability Ités Type A to USB Type C	Control type	Buttons	Audio formats supported	AAC, SBC
BeamForming Optimized for Unified communications (UC) Number of paired devices remembered Number of simultaneously connected devices (max) Ports & interfaces Connectivity technology * Wireless Bluetooth Bluetooth version Frequency response (music mode) Frequency response (talk mode) Wireless ange Wireless ange Bear coupling * Circumaural Impedance Headphones Ear coupling * Circumaural Impedance Headphone sensitivity Microphone CarbonNeutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic Recycled Plastic CarbonNeutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic CarbonNeutral, Forest Stewardship Council (FSC), Post-Consumer Recycled Plastic Recycled Plastic Council (FSC), Post-Consumer Recycled Plastic	Cable length	1.5 m	Sustainability	
Optimized for Number of paired devices remembered Number of paired devices remembered 2 Number of simultaneously connected devices (max) 8 Weight & dimensions Ports & interfaces Depth 73 mm Connectivity technology * Wireless Weight 185 g Bluetooth version 5.2 Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Frequency response (music mode) 20 - 20000 Hz Packaging data Frequency responses (talk mode) 100 - 8000 Hz Package width 87 mm Wireless range 30 m Package depth 196 mm Headphones Package weight 220 mm Ear coupling * Circumaural Package weight 475 g Headphone sensitivity 118 dB Quick start guide ✓ Driver unit 4 cm Receiver included ✓ Microphone USB Type-C	BeamForming	✓	,	CarbonNeutral Forest Stewardship
Number of simultaneously connected devices (max) 8 Weight & dimensions	Optimized for	Unified communications (UC)	Sustainability certificates	Council (FSC), Post-Consumer
Weight & dimensions Number of simultaneously connected devices (max) 8 Width 169.7 mm Ports & interfaces Depth 73 mm Connectivity technology * Wireless Weight 183 mm Bluetooth ✓ Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Bluetooth version 5.2 Frequency response (music mode) 20 - 20000 Hz Packaging data Frequency response (talk mode) 100 - 8000 Hz Package width 87 mm Wireless range 30 m Package depth 196 mm Headphones Ear coupling * Circumaural Package weight 475 g Impedance 45 Ω Packaging content Headphone sensitivity 118 dB Quick start guide ✓ Driver unit 4 cm Receiver included ✓ Microphone Wireless receiver interface USB Type-C Cables included USB Type-C Cables included USB Type-C	•	2		Recycled Plastic
Width 169.7 mm Ports & interfaces Connectivity technology * Wireless Bluetooth Bluetooth version Frequency response (music mode) 20 - 20000 Hz Frequency response (talk mode) 100 - 8000 Hz Wireless range 30 m Package depth 196 mm Headphones Ear coupling * Circumaural Impedance 45 Ω Headphone Sensitivity 118 dB Driver unit 4 cm Microphone Width 169.7 mm 73 mm Height 183 mm Weight 185 g Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Packaging data Frequency response (talk mode) 100 - 8000 Hz Package width 87 mm Package depth 196 mm Package height 220 mm Package weight 475 g Packaging content Vireless receiver included ✓ Wireless receiver included ✓ Wireless receiver interface USB Type-C Cables included VISE Type A to USB Type-C		_	Weight & dimensions	
Height 183 mm Weight 185 g Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Frequency response (music mode) 20 - 20000 Hz Frequency response (talk mode) 100 - 8000 Hz Wireless range 30 m Package width 87 mm Package depth 196 mm Package height 220 mm Package weight 475 g Frequency response exponse talk mode) 45 Ω Wireless range 6 weight 475 g Wireless range 6 weight 475 g Wireless range 7 weight 875 g Wireless range 8 weight 8 weig	connected devices (max)	8	Width	169.7 mm
Connectivity technology * Wireless Weight 185 g Bluetooth ✓ Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Frequency response (music mode) 20 - 20000 Hz Packaging data Frequency response (talk mode) 100 - 8000 Hz Package width 87 mm Wireless range 30 m Package depth 196 mm Headphones Package height 220 mm Fackage weight 475 g Packaging content Packaging content Univer unit 4 cm Receiver included ✓ Microphone Wireless receiver interface USB Type-C Cables included USB Type-C Cables included USB Type-C	Ports & interfaces		Depth	73 mm
Bluetooth Bluetooth version 5.2 Frequency response (music mode) 20 - 20000 Hz Frequency response (talk mode) 100 - 8000 Hz Wireless range 30 m Package width 87 mm Package depth 196 mm Package height 220 mm Package weight 475 g Packaging content Headphones 45 Ω Packaging content Headphone sensitivity 118 dB Driver unit 4 cm Weight 185 g Ear pad dimensions (W x D x H) 75.4 x 19.3 x 98.6 mm Packaging data Packaging data Package width 87 mm Package height 220 mm Package height 475 g Packaging content Wireless receiver included ✓ Wireless receiver included ✓ Wireless receiver interface USB Type-C Cables included WISB Type-C	Connectivity technology *	Wireless	-	
Bluetooth version 5.2 Frequency response (music mode) 20 - 20000 Hz Frequency response (talk mode) 100 - 8000 Hz Wireless range 30 m Package depth 196 mm Package height 220 mm Package weight 475 g Packaging content Impedance 45 Ω Packaging content Packaging content Packaging content Wireless receiver included Wireless receiver interface Wireless receiver interface Visa Type-C Cables included Visa Type-C	Bluetooth		•	•
Frequency response (music mode) 20 - 20000 Hz Frequency response (talk mode) 100 - 8000 Hz Frequency response (music mode) 20 - 20000 Hz Frequency response (music mode) 87 mm Frequency response		5.2	Ear pad dimensions (W x D x H)	75.4 x 19.3 x 98.6 mm
Frequency response (talk mode) 100 - 8000 Hz Package width 87 mm Wireless range 30 m Package depth 196 mm Headphones Ear coupling * Circumaural Impedance 45 Ω Packaging content Headphone sensitivity 118 dB Quick start guide ✓ Packaging content Driver unit 4 cm Receiver included ✓ Wireless receiver interface USB Type-C Cables included ✓ Cables inc			Packaging data	
Package height 220 mm Package weight 475 g Ear coupling * Circumaural Impedance 45 Ω Packaging content Headphone sensitivity 118 dB Quick start guide Driver unit 4 cm Receiver included ✓ Microphone Package height 220 mm Package weight 475 g Virelast receiver included ✓ Wireless receiver interface USB Type-C Cables included VISB Type-C	Frequency response (talk mode)	100 - 8000 Hz	Package width	87 mm
Package weight 475 g Ear coupling * Circumaural Impedance 45 Ω Headphone sensitivity 118 dB Driver unit 4 cm Microphone Package weight 475 g	Wireless range	30 m	Package depth	196 mm
Package weight 475 g Fackaging content Packaging content Packaging content Packaging content Packaging content Packaging content Ouick start guide V Microphone Wireless receiver included Wireless receiver interface USB Type-C Cables included USB Type-C	Headphones		Package height	220 mm
Impedance 45 Ω Packaging content Headphone sensitivity 118 dB Quick start guide Driver unit 4 cm Receiver included Microphone Wireless receiver interface USB Type-C Cables included USB Type-C	•	Circumaural	Package weight	475 g
Driver unit 4 cm Receiver included ✓ Microphone Wireless receiver interface USB Type-C	Impedance		Packaging content	
Microphone Wireless receiver interface USB Type-C	Headphone sensitivity	118 dB	Quick start guide	✓
Cables included LISP Type A to LISP Type C	Driver unit	4 cm	Receiver included	✓
Cables included LISP Type A to LISP Type C	Microphone		Wireless receiver interface	USB Type-C
MICLODITORIE LYDE BOOTI	Microphone type *	Boom	Cables included L	USB Type-A to USB Type-C

Microphone		Packaging content	
Microphone frequency Microphone direction type Folding microphone Number of microphones MEMS (Micro-Electro-Mechanical System) microphone	100 - 8000 Hz Omnidirectional ✓ 2	Pouch Quantity Logistics data Master (outer) case width Master (outer) case length	206 mm 362 mm
Microphone mute Battery	✓	Master (outer) case height Master (outer) case gross weight Other features	237 mm 2.16 kg
Battery operated Battery type Battery technology Continuous audio playback time Talk time Battery recharge time Fast charging	Built-in battery Lithium-lon (Li-lon) 20 h 18 h 2 h	Receiver dimensions (WxDxH) Other operating systems supported Interface adapters included Digital Signal Processing (DSP) Packaging content	13.6 x 6 x 21.5 mm ChromeOS USB Type-A male - USB Type-C female ✓ Zone Vibe Wireless headphones USB-C receiver USB-C to USB-A adapter USB-C charging cable Travel bag User documentation



5099206103856

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.