

Logitech H570e Auricolare Cablato A Padiglione Ufficio USB tipo A Nero

Marchio : Logitech

Codice prodotto: 981-000575

Nome del prodotto : H570e

H570e, USB, 31.5 - 20000 Hz, 94 dB

Logitech H570e. Tipo di prodotto: Auricolare. Tecnologia di connessione: Cablato. Utilizzo raccomandato: Ufficio. Frequenza cuffia: 31,5 - 20000 Hz. Lunghezza cavo: 1,9 m. Peso: 111 g. Colore del prodotto: Nero



Performance		System requirements	
Product type *	Headset	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1
Wearing style *	Head-band		
Recommended usage *	Office/Call center		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Headset type	Binaural	Mac operating systems supported	
Product colour *	Black		
Operating keys	Answer/end call, Mute, Volume +, Volume -		
Volume control	Button		
Control unit type	In-line control unit		
Control type	Buttons		
Cable length	1.9 m		
Sound pressure level (max)	79 dB		
Plug and Play	✓		
Ports & interfaces		Weight & dimensions	
Connectivity technology *	Wired	Width	165 mm
USB connectivity	✓	Depth	50 mm
USB connector	USB Type-A	Height	172 mm
		Weight	111 g
Headphones		Packaging data	
Ear coupling *	Supraaural	Package width	60 mm
Headphone frequency	31.5 - 20000 Hz	Package depth	180 mm
Headphone sensitivity	94 dB	Package height	200 mm
Total Harmonic Distortion (THD)	5%	Package weight	194 g
Microphone		Packaging content	
Microphone type *	Boom	Quick start guide	✓
Microphone frequency	100 - 18000 Hz	Ear pad material	Leatherette
Microphone sensitivity	-47 dB	Quantity	1
		Logistics data	
		Harmonized System (HS) code	85183000

Microphone		Logistics data	
Microphone direction type	Bidirectional microphone	Master (outer) case width	210 mm
Folding microphone	✓	Master (outer) case length	370 mm
Microphone noise-canceling	✓	Master (outer) case height	380 mm
Microphone mute	✓	Master (outer) case gross weight	2.73 kg
		Other features	
		Operation voltage range	1.4 - 5 V
		Distortion	2%
		Digital Signal Processing (DSP)	✓
		Packaging content	Stereo headset QSG/warranty card 2-year manufacturer's guarantee



5099206053304

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-MAR-2025. Prints or copies of Information are only valid on the printed Publication date